



## **REBLOC NB100/300\_8**

Standard element

Application
Integrated noise barrier

Installation
Free standing







## Vehicle restraint system

Containment level H2 (covers H1, N1, T3, T2 and T1)
Working width W4 (covers W5, W6, W7 and W8)

Impact severity level ASI B

Noise barrier system

Airborne sound insulation D4 (DL<sub>si</sub> > 36 dB) according to EN1793-6

(similar to B3 acc. to EN1793-2, but not identical)

Sound absorption A2, A3, A4 acc. to EN1793-1 depending on the sound absorber

Sound absorption material different materials, colours and design possible

### **Product features & Advantages**

- > Space gain due to combination of vehicle restraint system and one-sided noise barrier
- > High noise protection effect through low distance to source of noise
- > Quick installation due to simultaneous mounting of vehicle restraint system and noise barrier



The REBLOC® Integrated Noise Barrier consists of a base element of New Jersey profile and a plate-shaped noise barrier element. The slim total system width makes optimum use of the space available. One noise barrier element is inserted overlapping

two base elements. This configuration enhances stability. The patented coupling system guarantees a high restraint function and connects the elements to a strong chain.






# **REBLOC NB100/300\_8**

Standard element



## **Technical data**



#### all dimensions in mm

Containment level	H2
Working width	W4
Impact severity level	ASI B
Vehicle intrusion	VI1
Installation	free standing
Terminal elements	not necessary, optional available
Dimensions L x W x H in mm	base element: 8000 x 950 x 1000 mm, noise barrier element: 8000 x 240 (with wood concrete absorber) x 2800 mm
Weight base element	6.000 kg
Weight noise barrier element	7.500 kg
Minimum installation length	64 m (8 pcs. base elements and 7 pcs. noise barrier elements)
Curve radius	r ≥ 200 m
Coupling/exposed steel parts	fully integrated, exposed parts hot-dip galvanized
CE certification	$\checkmark$
Miscellaneous	Different materials, colors and creative designs are available as sound absorption material.  Different heights are available on request.

